



4,5

U.F.

20.5

Boom! N 15

Fluid nitrogenous organo-mineral fertilizer in suspension with iron (fe)

EXPLOSIVE PROPULSION

Boom! N 15, is a fertilizer created to obtain the maximum result with low costs: readily assimilable liquid ureic nitrogen, gives an explosive propulsion to the plant, especially in the stage of vegetative recovery after the winter rest. The sulphate iron influences the pH of the soil (favouring acidification in alkaline soils) and the absorption capacity of the plant of this element (the optimal absorption of the Iron ion is at pH 5.5 - 6). It is an excellent starting point to be followed by targeted fertilizations.

Well begun is half done!!

COMPOSITION					
			P/	Р	equivalent to $P/Vat20^\circ\!C$
Nitrogen	(N) tot	al	15	%	18,8 %
Nitrogen	(N) org	janic	1	%	1,25 %
Nitrogen	(N) ure	eic	14	%	17,5 %
Iron	(Fe) sol	uble in water	1	%	1,3 %
Organic Carbon	(C) bio	logical origin	5	%	5,6 %



RAW MATERIALS
ORGANICS COMPONENT
Fluid vinasse, Fleshings fluid in suspension
MINERAL COMPONENTS

Urea, Iron's salt (sulphate)

RECOMMENDED DOSES AND HOT TO USE

Fertigation (guantity/application)	Kg./Ha		
rerugation (quantity/application)	drop		rain
Tree crops	30	-	60
Horticultural crops (open field)	30	-	60
Greenhouses	30	-	90

Insert the diluted product since the first irrigation

The recommended doses have indicative value and should be increased or decreased considering the follow: the pedoclimatic characteristic of the zone of interest, fertility, water retention, structure of soil, cultural variety, the equipment in use and finally the experience of the agricultural entrepreneur. In any case it is recommended to avoid concentrations of the product next to the seed and/or to the roots.

PROSPERITY

Bo	Or	nl
	1	5
organo-minerale a	DRGANO-MIN azotato fluido in s n ferro (Fe 1)	Control of the Control of the Control of Con

Κ

0

Fe

1

Ν

15

0

	PACKAGING
Jug	Kg. 5 - 10 - 30 - 1.250
Form	Fluid
	Storage temperature: >= 10° <= 30°

Don't expose the container to direct sunlight. The product isn't combustible, and it's stable at ordinary temperatures and pressures. Dispose this product responsibly after use. Avoid contact with skin.

Restrictions on the use - Art. 11, paragraph 1, letter c) of the Reg.CE/1069/2009: The feeding of farmed animals with herbage, assumed through the pasture or administered after having been picked up, coming from farmland where organic fertilizers or soil improvers different from dung have been applied, unless the pasture or the cut of grass takes after a waiting period - at least 21 days, facing to quarantee a suitable risk assessment for the public and animal health.



The suitable analytical data on the wrappings follow the prescriptions of the D.L.gs n. 75 of 29/04/2010 and following changes and /or integrations. All the data provided in the present publication are indicative, BIOS s.r.l. the right reserves its rights to modify them without obligation of warning.

IN THE LAND

CHARLER CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONT